

Urine Testing Results

CombiScreen 9+Leuko PLUS

Name: _____ Date of birth: _____

Pat.-No.: _____ Date: _____

Kurz eintauchen, abstreifen, ablesen nach/immerger bièvement, égoutter, lire le résultat apres/immergere brevemente, estrarre, confrontare con la tabella colorimetrica dopo/Kort indopen, afstrijken, aflezen na/Dip briefly, remove excess urine, compare the colours after/Sumergir brevemente, rasar, leer el resultado después de/ Mergulhar rapidamente, escorrer, ler passados: ca. 60 sec. Leukozyten/Leucocytes/Leucóciti(i)os ca. 120 sec.



Bilirubin Bilirubine Bilir(r)ubina	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	+	++	+++			
Urobilinogen Urobilinogène Urobilinogen(i)o	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	norm.	2 (35)	4 (70)	8 (140)	12 (200) mg/dl (µmol/l)		
Keton(es) Ceton(es)(as) Chetoni	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	(+) trace	+	++	+++		
Ascorbinsäure Ascorbic Acid Acid(e)(o) asc.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	+	++				
Glucose Glucosa Glucosio	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	norm.	50 (2,8)	100 (5,6)	250 (14)	500 (28)	>1000 (56) mg/dl (mmol/l)	
Protein Protéines Protein(e)(a)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	(+) trace	+	++	+++	500 mg/dl	
Blut/Blood/Bloed Sang(re) Sangue	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	ca. 5-10	ca. 50	ca. 300	ca. 5-10	ca. 50	ca. 300 Ery/µl
pH	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5	6	6,5	7	8	9	
Nitrit(e) Nitrit(i)(os) Nitrito	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	pos.	pos.	Rosafärbung / coloration rose colorazione rosa / pink coloration coloración rosa / coloração rosa			
Leukozyten Leuk(c)ocytes Leucóciti(i)os	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	ca. 25	ca. 75	ca. 500	Leuko/µl		

Sediment:

Ery.
Leuko.
Cylind.
Cell.
Bact.
Cryst.

Germ/ml

Colour

Particles

no yes
+ ++ +++

Exp. _____ Lot _____

Analyticon Biotechnologies AG · 35104 Lichtenfels · Germany · Tel. +49 (0) 6454 7991-0
Fax +49 (0) 6454 7991-30 · info@analyticon-diagnostics.com · www.analyticon-diagnostics.com



Urine Testing Results

CombiScreen 9+Leuko PLUS

Name: _____ Date of birth: _____

Pat.-No.: _____ Date: _____

Kurz eintauchen, abstreifen, ablesen nach/immerger bièvement, égoutter, lire le résultat apres/immergere brevemente, estrarre, confrontare con la tabella colorimetrica dopo/Kort indopen, afstrijken, aflezen na/Dip briefly, remove excess urine, compare the colours after/Sumergir brevemente, rasar, leer el resultado después de/ Mergulhar rapidamente, escorrer, ler passados: ca. 60 sec. Leukozyten/Leucocytes/Leucóciti(i)os ca. 120 sec.



Bilirubin Bilirubine Bilir(r)ubina	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	+	++	+++			
Urobilinogen Urobilinogène Urobilinogen(i)o	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	norm.	2 (35)	4 (70)	8 (140)	12 (200) mg/dl (µmol/l)		
Keton(es) Ceton(es)(as) Chetoni	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	(+) trace	+	++	+++		
Ascorbinsäure Ascorbic Acid Acid(e)(o) asc.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	+	++				
Glucose Glucosa Glucosio	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	norm.	50 (2,8)	100 (5,6)	250 (14)	500 (28)	>1000 (56) mg/dl (mmol/l)	
Protein Protéines Protein(e)(a)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	(+) trace	+	++	+++	500 mg/dl	
Blut/Blood/Bloed Sang(re) Sangue	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	ca. 5-10	ca. 50	ca. 300	ca. 5-10	ca. 50	ca. 300 Ery/µl
pH	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5	6	6,5	7	8	9	
Nitrit(e) Nitrit(i)(os) Nitrito	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	pos.	pos.	Rosafärbung / coloration rose colorazione rosa / pink coloration coloración rosa / coloração rosa			
Leukozyten Leuk(c)ocytes Leucóciti(i)os	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	ca. 25	ca. 75	ca. 500	Leuko/µl		

Sediment:

Ery.
Leuko.
Cylind.
Cell.
Bact.
Cryst.

Germ/ml

Colour

Particles

no yes
+ ++ +++

Exp. _____ Lot _____

Analyticon Biotechnologies AG · 35104 Lichtenfels · Germany · Tel. +49 (0) 6454 7991-0
Fax +49 (0) 6454 7991-30 · info@analyticon-diagnostics.com · www.analyticon-diagnostics.com



Urine Testing Results

CombiScreen 9+Leuko PLUS

Name: _____ Date of birth: _____

Pat.-No.: _____ Date: _____

Kurz eintauchen, abstreifen, ablesen nach/immerger bièvement, égoutter, lire le résultat apres/immergere brevemente, estrarre, confrontare con la tabella colorimetrica dopo/Kort indopen, afstrijken, aflezen na/Dip briefly, remove excess urine, compare the colours after/Sumergir brevemente, rasar, leer el resultado después de/ Mergulhar rapidamente, escorrer, ler passados: ca. 60 sec. Leukozyten/Leucocytes/Leucóciti(i)os ca. 120 sec.



Bilirubin Bilirubine Bilir(r)ubina	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	+	++	+++			
Urobilinogen Urobilinogène Urobilinogen(i)o	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	norm.	2 (35)	4 (70)	8 (140)	12 (200) mg/dl (µmol/l)		
Keton(es) Ceton(es)(as) Chetoni	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	(+) trace	+	++	+++		
Ascorbinsäure Ascorbic Acid Acid(e)(o) asc.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	+	++				
Glucose Glucosa Glucosio	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	norm.	50 (2,8)	100 (5,6)	250 (14)	500 (28)	>1000 (56) mg/dl (mmol/l)	
Protein Protéines Protein(e)(a)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	(+) trace	+	++	+++	500 mg/dl	
Blut/Blood/Bloed Sang(re) Sangue	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	ca. 5-10	ca. 50	ca. 300	ca. 5-10	ca. 50	ca. 300 Ery/µl
pH	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5	6	6,5	7	8	9	
Nitrit(e) Nitrit(i)(os) Nitrito	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	pos.	pos.	Rosafärbung / coloration rose colorazione rosa / pink coloration coloración rosa / coloração rosa			
Leukozyten Leuk(c)ocytes Leucóciti(i)os	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	ca. 25	ca. 75	ca. 500	Leuko/µl		

Sediment:

Ery.
Leuko.
Cylind.
Cell.
Bact.
Cryst.

Germ/ml

Colour

Particles

no yes
+ ++ +++

Exp. _____ Lot _____

Analyticon Biotechnologies AG · 35104 Lichtenfels · Germany · Tel. +49 (0) 6454 7991-0
Fax +49 (0) 6454 7991-30 · info@analyticon-diagnostics.com · www.analyticon-diagnostics.com



Urine Testing Results

CombiScreen 9+Leuko PLUS

Name: _____ Date of birth: _____

Pat.-No.: _____ Date: _____

Kurz eintauchen, abstreifen, ablesen nach/immerger bièvement, égoutter, lire le résultat apres/immergere brevemente, estrarre, confrontare con la tabella colorimetrica dopo/Kort indopen, afstrijken, aflezen na/Dip briefly, remove excess urine, compare the colours after/Sumergir brevemente, rasar, leer el resultado después de/ Mergulhar rapidamente, escorrer, ler passados: ca. 60 sec. Leukozyten/Leucocytes/Leucóciti(i)os ca. 120 sec.



Bilirubin Bilirubine Bilir(r)ubina	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	+	++	+++			
Urobilinogen Urobilinogène Urobilinogen(i)o	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	norm.	2 (35)	4 (70)	8 (140)	12 (200) mg/dl (µmol/l)		
Keton(es) Ceton(es)(as) Chetoni	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	(+) trace	+	++	+++		
Ascorbinsäure Ascorbic Acid Acid(e)(o) asc.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	+	++				
Glucose Glucosa Glucosio	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	norm.	50 (2,8)	100 (5,6)	250 (14)	500 (28)	>1000 (56) mg/dl (mmol/l)	
Protein Protéines Protein(e)(a)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	(+) trace	+	++	+++	500 mg/dl	
Blut/Blood/Bloed Sang(re) Sangue	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	ca. 5-10	ca. 50	ca. 300	ca. 5-10	ca. 50	ca. 300 Ery/µl
pH	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5	6	6,5	7	8	9	
Nitrit(e) Nitrit(i)(os) Nitrito	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	pos.	pos.	Rosafärbung / coloration rose colorazione rosa / pink coloration coloración rosa / coloração rosa			
Leukozyten Leuk(c)ocytes Leucóciti(i)os	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	neg.	ca. 25	ca. 75	ca. 500	Leuko/µl		

Sediment:

Ery.
Leuko.
Cylind.
Cell.
Bact.
Cryst.

Germ/ml

Colour

Particles

no yes
+ ++ +++

Exp. _____ Lot _____

Analyticon Biotechnologies AG · 35104 Lichtenfels · Germany · Tel. +49 (0) 6454 7991-0
Fax +49 (0) 6454 7991-30 · info@analyticon-diagnostics.com · www.analyticon-diagnostics.com

