

**Fluitest® GOT AST R1**

Revision date: 18.10.2018

Product code: 1R11779

Page 1 of 7

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Fluitest® GOT AST R1

Product group: Endprodukt

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

In-vitro-Diagnostics

**1.3. Details of the supplier of the safety data sheet**

Company name:	Analyticon® Biotechnologies AG	
Street:	Am Mühlberg 10	
Place:	D-35104 Lichtenfels	
Telephone:	+49 (0) 6454/7991-0	Telefax: +49 (0) 6454/7991-30
e-mail:	support@analyticon-diagnostics.com	
Contact person:	Zentrale	Telephone: +49 (0) 6454/7991-0
Internet:	http://www.analyticon-diagnostics.com	

**1.4. Emergency telephone number:**

Giftnotruf Mainz: +49 (0) 6131 / 19240

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:  
Skin corrosion/irritation: Skin Irrit. 2  
Serious eye damage/eye irritation: Eye Irrit. 2  
Hazard Statements:  
Causes skin irritation.  
Causes serious eye irritation.

**2.2. Label elements****Regulation (EC) No. 1272/2008**

Signal word: Warning

Pictograms:

**Hazard statements**

H315	Causes skin irritation.
H319	Causes serious eye irritation.

**Precautionary statements**

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

Chemical characterization  
aqueous solution

**Fluittest® GOT AST R1**

Revision date: 18.10.2018

Product code: 1R11779

Page 2 of 7

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
1310-58-3	caustic potash, potassium hydroxide			1 - < 5 %
	215-181-3	019-002-00-8		
	Acute Tox. 4, Skin Corr. 1A; H302 H314			
26628-22-8	sodium azide			< 1 %
	247-852-1	011-004-00-7		
	Acute Tox. 2, Aquatic Acute 1, Aquatic Chronic 1; H300 H400 H410 EUH032			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Move victim out of danger zone.

**After inhalation**

Provide fresh air.

**After contact with skin**

Change contaminated clothing. After contact with skin, wash immediately with plenty of water and soap.

**After contact with eyes**

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

**After ingestion**

Rinse mouth immediately and drink plenty of water. Medical treatment necessary.

Caution if victim vomits: Risk of aspiration!

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. The product itself does not burn.

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

**Additional information**

Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

**Fluitest® GOT AST R1**

Revision date: 18.10.2018

Product code: 1R11779

Page 3 of 7

Do not allow to enter into soil/subsoil.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas.

The floor should be leak tight, jointless and not absorbent.

All work processes must always be designed so that the following is excluded:  
inhalation. skin contact. Eye contact.

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

When using do not smoke.

**Further information on handling**

When using do not eat, drink, smoke, sniff.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep only in the original container in a cool, well-ventilated place.

Keep container tightly closed.

**Advice on storage compatibility**

The product is not: Combustible. Exclude sources of ignition-no smoking

**Further information on storage conditions**

Recommended storage temperature: of °C: 2 up to °C: 8

Protect against: heat. UV-radiation/sunlight.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
1310-58-3	Potassium hydroxide	-	-		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
26628-22-8	Sodium azide (as NaN <sub>3</sub> )	-	0.1		TWA (8 h)	WEL
		-	0.3		STEL (15 min)	WEL

**8.2. Exposure controls****Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Protective and hygiene measures**

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

**Eye/face protection**

Eye protection: Tightly sealed safety glasses.

**Hand protection**

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): DIN EN 374  
Breakthrough times and swelling properties of the material must be taken into consideration.

**Fluitest® GOT AST R1**

Revision date: 18.10.2018

Product code: 1R11779

Page 4 of 7

**Skin protection**

Suitable protective clothing: Lab apron.  
Footwear: Chemical resistant safety shoes.

**Respiratory protection**

Respiratory protection necessary at: insufficient ventilation. Handling larger quantities.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state: liquid  
Colour: colourless  
Odour: characteristic  
pH-Value (at 20 °C): 7,97

**Changes in the physical state**

Melting point: The product has not been tested.  
Initial boiling point and boiling range: The product has not been tested.

**Explosive properties**

The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.

**Oxidizing properties**

Not oxidizing.

Vapour pressure: Corresponds to the vapour pressure of water.

Density: 1,02 g/cm<sup>3</sup>

Water solubility: completely miscible

**SECTION 10: Stability and reactivity****10.4. Conditions to avoid**

May cause decomposition by long-term light influence.

**10.6. Hazardous decomposition products**

Carbon dioxide. Carbon monoxide. Nitrogen oxides (NO<sub>x</sub>).

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

Acute toxicity, dermal.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1310-58-3	caustic potash, potassium hydroxide				
	oral	LD50 mg/kg	273	Rat	RTECS
26628-22-8	sodium azide				
	oral	ATE	5 mg/kg		

**Irritation and corrosivity**

Irritating to eyes. After skin contact: irritant.

**Sensitising effects**

No information available.

**Fluitest® GOT AST R1**

Revision date: 18.10.2018

Product code: 1R11779

Page 5 of 7

**Carcinogenic/mutagenic/toxic effects for reproduction**

No information available.

**STOT-repeated exposure**

No information available.

**Specific effects in experiment on an animal**

No information available.

**Additional information on tests**

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

**SECTION 12: Ecological information****12.1. Toxicity**

No data available

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
1310-58-3	caustic potash, potassium hydroxide					
	Acute fish toxicity	LC50	80 mg/l	96 h	Gambusia affinis	IUCLID

**12.2. Persistence and degradability**

No data available

**12.3. Bioaccumulative potential**

No data available

**12.4. Mobility in soil**

No data available

**12.6. Other adverse effects**

No data available

**Further information**

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Dispose of waste according to applicable legislation.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

**Waste disposal number of waste from residues/unused products**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

**Waste disposal number of used product**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

**Waste disposal number of contaminated packaging**

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); mixed packaging

**Contaminated packaging**

Water (with cleaning agent). Completely emptied packages can be recycled.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Fluitest® GOT AST R1

Revision date: 18.10.2018

Product code: 1R11779

Page 6 of 7

## SECTION 14: Transport information

## Land transport (ADR/RID)

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

## Inland waterways transport (ADN)

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

## Marine transport (IMDG)

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

## Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**14.6. Special precautions for user**

No dangerous good in sense of this transport regulation.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

No dangerous good in sense of this transport regulation.

## SECTION 15: Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

## EU regulatory information

2004/42/EC (VOC): 1,36 %

## National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

## SECTION 16: Other information

## Changes

This data sheet contains changes from the previous version in section(s): 14.

## Relevant H and EUH statements (number and full text)

H300	Fatal if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.



analyticon

Analyticon® Biotechnologies AG

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Fluittest® GOT AST R1

Revision date: 18.10.2018

Product code: 1R11779

Page 7 of 7

H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*