

**Fluitest® CA CPC R1**

Revision date: 09.11.2018

Product code: 1R19099

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Fluitest® CA CPC R1

Product group: Endprodukt

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

In-vitro-Diagnostics

1.3. Details of the supplier of the safety data sheet

Company name:	Analyticon® Biotechnologies AG	
Street:	Am Mühlberg 10	
Place:	D-35104 Lichtenfels	
Telephone:	+49 (0) 6454/7991-0	Telefax: +49 (0) 6454/7991-30
e-mail:	support@analyticon-diagnostics.com	
Contact person:	Zentrale	Telephone: +49 (0) 6454/7991-0
Internet:	http://www.analyticon-diagnostics.com	

1.4. Emergency telephone number: Giftnotruf Mainz: +49 (0) 6131 / 19240

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:
Skin corrosion/irritation: Skin Irrit. 2
Serious eye damage/eye irritation: Eye Irrit. 2
Hazardous to the aquatic environment: Aquatic Chronic 3
Hazard Statements:
Causes skin irritation.
Causes serious eye irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements**Regulation (EC) No. 1272/2008**

Signal word: Warning

Pictograms:

**Hazard statements**

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SECTION 3: Composition/information on ingredients

**Fluittest® CA CPC R1**

Revision date: 09.11.2018

Product code: 1R19099

Page 2 of 7

3.2. Mixtures**Chemical characterization**

2-amino-2-methylpropanol buffer

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
124-68-5	2-amino-2-methylpropanol			30 - < 35 %
	204-709-8	603-070-00-6		
	Eye Irrit. 2, Skin Irrit. 2, Aquatic Chronic 3; H319 H315 H412			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Move victim out of danger zone.

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing.

After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

After ingestion

If swallowed, immediately drink: Water.

Caution if victim vomits: Risk of aspiration!

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. The product itself does not burn.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation.

Do not breathe gas/fumes/vapour/spray.

Avoid contact with skin, eyes and clothes.

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**Fluitest® CA CPC R1**

Revision date: 09.11.2018

Product code: 1R19099

Page 3 of 7

6.2. Environmental precautions

Do not allow to enter into surface water or drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Use only in well-ventilated areas.
The floor should be leak tight, jointless and not absorbent.
All work processes must always be designed so that the following is excluded:
inhalation. skin contact. Eye contact.

Advice on protection against fire and explosion

Usual measures for fire prevention.
When using do not smoke.

Further information on handling

When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep only in the original container in a cool, well-ventilated place.

Advice on storage compatibility

The product is not: Combustible. Exclude sources of ignition-no smoking

Further information on storage conditions

Recommended storage temperature: of °C: 15 up to °C: 15
Protect against: heat. UV-radiation/sunlight.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****8.2. Exposure controls****Protective and hygiene measures**

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses.

Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): DIN EN 374
Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Suitable protective clothing: Lab apron.
Footwear: Chemical resistant safety shoes.

Respiratory protection

Respiratory protection necessary at: insufficient ventilation. Handling larger quantities.

**Fluitest® CA CPC R1**

Revision date: 09.11.2018

Product code: 1R19099

Page 4 of 7

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	colourless
Odour:	characteristic
pH-Value (at 35 °C):	10,7

Changes in the physical state

Melting point:	The product has not been tested.
Initial boiling point and boiling range:	The product has not been tested.

Explosive properties

The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.

Oxidizing properties

Not oxidizing.

Vapour pressure:	Corresponds to the vapour pressure of water.
------------------	----------------------------------------------

Density:	1,01 g/cm ³
----------	------------------------

Water solubility:	completely miscible
-------------------	---------------------

SECTION 10: Stability and reactivity**10.4. Conditions to avoid**

May cause decomposition by long-term light influence.

10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. Nitrogen oxides (NOx).

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

No information available.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
124-68-5	2-amino-2-methylpropanol				
	oral	LD50 mg/kg	2900	Rat	IUCLID
	dermal	LD50 mg/kg	> 2000	Rabbit	IUCLID

Irritation and corrosivity

Irritating to eyes. After skin contact: irritant.

Sensitising effects

No information available.

Carcinogenic/mutagenic/toxic effects for reproduction

No information available.

STOT-repeated exposure

No information available.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Fluitest® CA CPC R1

Revision date: 09.11.2018

Product code: 1R19099

Page 5 of 7

Specific effects in experiment on an animal

No information available.

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 12: Ecological information**12.1. Toxicity**

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
124-68-5	2-amino-2-methylpropanol					
	Acute fish toxicity	LC50	190 mg/l	96 h	Lepomis macrochirus	IUCLID
	Acute algae toxicity	ErC50	520 mg/l	72 h	Desmodesmus subspicatus	

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
124-68-5	2-amino-2-methylpropanol	-0,74

12.4. Mobility in soil

No data available

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

Dispose of waste according to applicable legislation.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); mixed packaging



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Fluitest® CA CPC R1

Revision date: 09.11.2018

Product code: 1R19099

Page 6 of 7

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

- 14.1. UN number:** No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

- 14.1. UN number:** No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

- 14.1. UN number:** No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2004/42/EC (VOC): 31,2 %

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

SECTION 16: Other information**Relevant H and EUH statements (number and full text)**

- H315 Causes skin irritation.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.



analyticon

Analyticon® Biotechnologies AG

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Fluitest® CA CPC R1

Revision date: 09.11.2018

Product code: 1R19099

Page 7 of 7

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)