



# Safety Data Sheet

Analyticon® Biotechnologies AG

analyticon

according to Regulation (EC) No 1907/2006

## Fluitest® CREA R2

Revision date: 09.11.2018

Product code: 2R44899

Page 1 of 7

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Fluitest® CREA R2

Product group: Endprodukt

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

In-vitro-Diagnostics

#### 1.3. Details of the supplier of the safety data sheet

Company name: Analyticon® Biotechnologies AG  
Street: Am Mühlberg 10  
Place: D-35104 Lichtenfels  
Telephone: +49 (0) 6454/7991-0  
e-mail: support@analyticon-diagnostics.com  
Contact person: Zentrale  
Internet: <http://www.analyticon-diagnostics.com>

Telefax: +49 (0) 6454/7991-30

Telephone: +49 (0) 6454/7991-0

#### 1.4. Emergency telephone number:

Giftnotruf Mainz: +49 (0) 6131 / 19240

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No. 1272/2008

Hazard categories:  
Skin corrosion/irritation: Skin Irrit. 2  
Serious eye damage/eye irritation: Eye Irrit. 2  
Hazard Statements:  
Causes skin irritation.  
Causes serious eye irritation.

#### 2.2. Label elements

##### Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



##### Hazard statements

H315 Causes skin irritation.  
H319 Causes serious eye irritation.

##### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Chemical characterization  
aqueous solution

**Fluittest® CREA R2**

Revision date: 09.11.2018

Product code: 2R44899

Page 2 of 7

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
1310-73-2	Sodium hydroxide; caustic soda			1 - < 5 %
	215-185-5	011-002-00-6		
	Skin Corr. 1A; H314			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Move victim out of danger zone.

**After inhalation**

Provide fresh air.

**After contact with skin**

After contact with skin, wash immediately with: Water. Change contaminated clothing.

**After contact with eyes**

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

**After ingestion**

If swallowed, immediately drink: Water.

Caution if victim vomits: Risk of aspiration!

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. The product itself does not burn.

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

**Additional information**

Suppress gases/vapours/mists with water spray jet.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation.

Do not breathe gas/fumes/vapour/spray.

Avoid contact with skin, eyes and clothes.

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not allow to enter into soil/subsoil.

**Fluittest® CREA R2**

Revision date: 09.11.2018

Product code: 2R44899

Page 3 of 7

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Use only in well-ventilated areas.

The floor should be leak tight, jointless and not absorbent.

All work processes must always be designed so that the following is excluded:

inhalation. skin contact. Eye contact.

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

When using do not smoke.

**Further information on handling**

When using do not eat, drink, smoke, sniff.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed. Keep only in the original container in a cool, well-ventilated place.

**Advice on storage compatibility**

The product is not: Combustible. Exclude sources of ignition-no smoking

**Further information on storage conditions**

Recommended storage temperature: of °C: 15 up to °C: 25

Protect against: heat. UV-radiation/sunlight.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	-		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

**8.2. Exposure controls****Protective and hygiene measures**

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

**Eye/face protection**

Eye protection: Tightly sealed safety glasses.

**Hand protection**

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Breakthrough times and swelling properties of the material must be taken into consideration.

**Skin protection**

Suitable protective clothing: Lab apron.

Footwear: Chemical resistant safety shoes.

**Respiratory protection**

Respiratory protection necessary at: insufficient ventilation. Handling larger quantities.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Fluitest® CREA R2

Revision date: 09.11.2018

Product code: 2R44899

Page 4 of 7

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	colourless
Odour:	characteristic
pH-Value:	>11,5

**Changes in the physical state**

Melting point:	The product has not been tested.
Initial boiling point and boiling range:	The product has not been tested.

**Explosive properties**

The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.

**Oxidizing properties**

Not oxidizing.

Vapour pressure:	Corresponds to the vapour pressure of water.
------------------	--

Density:	1,01 g/cm <sup>3</sup>
----------	------------------------

Water solubility:	completely miscible
-------------------	---------------------

**SECTION 10: Stability and reactivity****10.4. Conditions to avoid**

May cause decomposition by long-term light influence.

**10.6. Hazardous decomposition products**

Carbon dioxide. Carbon monoxide. Nitrogen oxides (NO<sub>x</sub>).

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

No information available.

**Irritation and corrosivity**

Irritating to eyes.  
After skin contact: irritant.

**Sensitising effects**

No information available.

**Carcinogenic/mutagenic/toxic effects for reproduction**

No information available.

**STOT-repeated exposure**

No information available.

**Specific effects in experiment on an animal**

No information available.

**Additional information on tests**

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

**SECTION 12: Ecological information**



# Safety Data Sheet

Analyticon® Biotechnologies AG

analyticon

according to Regulation (EC) No 1907/2006

**Fluittest® CREA R2**

Revision date: 09.11.2018

Product code: 2R44899

Page 5 of 7

**12.1. Toxicity**

No data available

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
1310-73-2	Sodium hydroxide; caustic soda					
	Acute fish toxicity	LC50 mg/l	45,4	96 h Onchorhynchus mykiss		

**12.2. Persistence and degradability**

No data available

**12.3. Bioaccumulative potential**

No data available

**12.4. Mobility in soil**

No data available

**12.6. Other adverse effects**

No data available

**Further information**

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Dispose of waste according to applicable legislation.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

**Waste disposal number of waste from residues/unused products**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

**Waste disposal number of used product**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

**Waste disposal number of contaminated packaging**

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); mixed packaging

**Contaminated packaging**

Water (with cleaning agent). Completely emptied packages can be recycled.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number:</b>	UN 1824
<b>14.2. UN proper shipping name:</b>	SODIUM HYDROXIDE SOLUTION
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8



# Safety Data Sheet

Analyticon® Biotechnologies AG

analyticon

according to Regulation (EC) No 1907/2006

## Fluittest® CREA R2

Revision date: 09.11.2018

Product code: 2R44899

Page 6 of 7



Classification code: C5  
Limited quantity: 5 L  
Excepted quantity: E1  
Transport category: 3  
Hazard No: 80  
Tunnel restriction code: E

### Inland waterways transport (ADN)

**14.1. UN number:** UN 1824  
**14.2. UN proper shipping name:** SODIUM HYDROXIDE SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8



Classification code: C5  
Limited quantity: 5 L  
Excepted quantity: E1

### Other applicable information (inland waterways transport)

E2

### Marine transport (IMDG)

**14.1. UN number:** UN 1824  
**14.2. UN proper shipping name:** SODIUM HYDROXIDE SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8



Special Provisions: 223  
Limited quantity: 5 L  
Excepted quantity: E1  
EmS: F-A, S-B

### Other applicable information (marine transport)

Special provisions: -  
E2

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1824  
**14.2. UN proper shipping name:** SODIUM HYDROXIDE SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8



analyticon

Analyticon® Biotechnologies AG

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Fluitest® CREA R2

Revision date: 09.11.2018

Product code: 2R44899

Page 7 of 7



Special Provisions:	A3 A803	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:		852
IATA-max. quantity - Passenger:		5 L
IATA-packing instructions - Cargo:		856
IATA-max. quantity - Cargo:		60 L

#### Other applicable information (air transport)

E2

: Y809

Special provisions: A3

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National regulatory information

Water contaminating class (D): -- not water contaminating

### SECTION 16: Other information

#### Relevant H and EUH statements (number and full text)

H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*